SUBJECT INDEX

CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

VOLUME 15, 1991

C. Bernard
Laboratoire de Thermodynamique
et Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martin d'Heres, FRANCE

0381 PARAMETERIZATION OF THE SOLUTION DATA FOR BINARY ALLOYS BY HULTGREN ET AL. WILLIAMS R.O./ CALPHAD, 1991, 15, (1), 1-10. A THERMODYNAMIC ASSESSMENT OF THE V-N SYSTEM OHTANI H./HILLERT M./ CALPHAD, 1991, 15, (1), 11-24. A THERMODYNAMIC ASSESSMENT OF THE FE-N-V SYSTEM OHTANI H./HILLERT M./
CALPHAD, 1991, 15, (1), 25-39. 0384 A THERMODYNAMIC ASSESSMENT OF THE FE-N-TI SYSTEM OHTANI H./HILLERT M./
CALPHAD, 1991, 15, (1), 41-52. 0385 A REEVALUATION OF THE RANKINITE PHASE IN THE CAO-SIO2 SYSTEM HILLERT M./SUNDMAN B./WANG X./BARRY T./
CALPHAD, 1991, 15, (1), 53-58. 0386 OPTIMIZATION AND CALCULATION OF THE ZRO2-MGO SYSTEM DU Y./JIN Z./ CALPHAD, 1991, 15, (1), 59-68. 0387 IMPROVEMENT OF EXCESS PARAMETERS FROM THERMODYNAMIC AND PHASE DIAGRAM DATA BY A SEQUENTIAL BAYES ALGORITHM KONIGSBERGER E./ CALPHAD, 1991, 15, (1), 69-78. 0388 A THERMODYNAMIC EVALUATION OF THE CR-N, FE-N, MO-N AND CR-MO-N SYSTEMS FRISK K./ CALPHAD, 1991, 15, (1), 79-106. 0389 MODIFICATION OF THE TWO-SUBLATTICE MODEL FOR LIQUIDS SUNDMAN B./ CALPHAD, 1991, 15, (2), 109-119. 0390 THE ENTITY MODEL OF METALLIC SOLUTIONS RANGANATHAN S./ CALPHAD, 1991, 15, (2), 121-130. 0391 ESTIMATION OF STABILITY FROM PHASE DIAGRAM CHOU K.-C./ CALPHAD, 1991, 15, (2), 131-142. CALCULATION OF GAMMA PRIME/GAMMA EQUILIBRIUM PHASE COMPOSITIONS IN NICKEL-BASE SUPERALLOYS BY CLUSTER VARIATION METHOD ENOMOTO M./HARADA H./YAMAZAKI M./ CALPHAD, 1991, 15, (2), 143-158.

```
LATTICE AND POLYNOMIAL MODELS FOR DEFECT SPINELS THE MGO- ALO1.5 SYSTEM
      HOWALD R.A./ROY B.N./
CALPHAD, 1991, 15, (2), 159-172.
      OPTIMIZATION OF TI-AL-V BETA PHASE FOR DISPERSED PHASE TRANSFORMATION TOUGHENING OF GAMMA
      TITANIUM ALUMINIDES
         GRUJICIC M. /NARAYAN C.P./
      CALPHAD, 1991, 15, (2), 173-178.
0395
      DESIGN OF M2C CARBIDES FOR COARSENING RESISTANCE
      GRUJICIC M./
CALPHAG, 1991, 15, (2), 179-184.
0396
       THERMODYNAMIC CALCULATION OF ATMOSPHERIC PRESSURE AND HIGH PRESSURE (P = 2500 ATM) PHASE
       DIAGRAM OF LIIDS - NAIDS BINARY SYSTEM
CHEN X./LIANG J./CHEN Z./QIAD Z./XIE S./RAD G./SHEN Z./
CALPHAD, 1991. 15, (2), 185-194.
0397
       A THERMODYNAMIC ANALYSIS OF THE MN-V AND FE-MN-V SYSTEMS
       HUANG W./
CALPHAD, 1991, 15, (2), 195-208.
0398
       SUMMARY OF THE PROCEEDINGS OF THE TWENTIETH CALPHAD MEETING 3-8 FEBRUARY 1991 JAMSHEDPUR.
       INDIA
          ANTIA D.P./MUKHERJEE T./RAGHAVAN V./
       CALPHAD, 1991, 15, (3), 211-224.
0399
       BINARY P-DIHALOBENZENE SYSTEMS-CORRELATION OF THERMOCHEMICAL AND PHASE DIAGRAM DATA CALVET M.T./CUEVAS-DIARTE M.A./HAGET Y./VAN DER LINDE P.R./OONK H.A.J./CALPHAD, 1991, 15, (3), 225-234.
0400
       THE SYSTEM THIANAPHTHENE + NAPHTHALENE SOLID-LIQUID EQUILIBRIUM A CASE OF CROSSED
       ISODIMORPHISM
          KLIPP N./VAN DER LINDE P.R./OONK H.A.J./
       CALPHAD, 1991, 15, (3), 235-242.
       COUPLED THERMOCHEMICAL AND PHASE DIAGRAM DATA FOR TANTALUM BASED BINARY ALLOYS
          KAUFMAN L./
        CALPHAD, 1991, 15, (3), 243-259.
       CALCULATION OF MULTICOMPONENT TANTALUM BASED PHASE DIAGRAMS
          KAUFMAN L.
        CALPHAD, 1991, 15, (3), 261-282.
 0403
       A THERMODYNAMIC STUDY ON THE V-C AND FE-V SYSTEMS LEE B.-J./LEE D.N./
CALPHAD, 1991, 15, (3), 283-291.
 0404
       A THERMODYNAMIC STUDY ON THE FE-V-C SYSTEM LEE B.-J./LEE D.N./
CALPHAD, 1991, 15, (3), 293-306.
 0405
       A THERMODYNAMIC REASSESSMENT OF THE FE-V SYSTEM KUMAR K.C.H./RAGHAVAN V./
CALPHAD, 1991, 15, (3), 307-314.
 0406
SGTE DATA FOR PURE ELEMENTS
       DINSDALE A.T./
CALPHAD, 1991, 15, (4), 317-426.
```

| 0398 . TA BASED SYSTEM, TA- NI- MD, TA- NB- 0398 , NI- AL- TI, NI- AL- CO, NI- AL- MD, 0398 | AL, TA- NB- CU, TA- CU- NI, TA- W- NB, TA- AL- FE, 0398 AL- CO- FE, COMMON-ION ALKALI HALIDE SYSTEMS, TA- R0398 AL- CD, FE-AL-GE, FE-AL-V, FE-SI-CD, FE-SI- GE, F 0398 AL- CD, NI- AL- MD, AL- C- FE, COMMON-ION ALKALI H 0398 AL- FE, TA- AL- NI, CO, TA- AL-CD, NI- AL- TI, NI- 0398 AL- GE- MN, VF3, UN, PUN, VPUN, |
|--|--|
| 0387 SEQUENTIAL BAYES | ALGORITHM, |
| 0398 CD, NI- AL- MD, AL- C- FE, COMMON-ION | ALKALI HALIDE SYSTEMS, TA- RARE EARTH BINARY SYSTE 0398 |
| 0393MGD- | AL01.5, |
| 0396 | ATMOSPHERIC AND HIGH PRESSURE LIID3- NAID3 DIAGRAM 0396 |
| 0387 SEQUENTIAL | BAYES ALGORITHM, |
| 0394TI- AL- V | BETA PHASE, |
| 0404 | C |
| 0398 NARY SYSTEMS, PSEUDOSTABLE PHASE, FE- | CA- O, FE- SI- O, ULTRACAL PROGRAMME, YBA2CU3OZ, M 0398 |
| 0385RANKINITE, | CAO- SIO2, 0385 |
| 0395 . MODEL FOR COARSENING KINETICS OF M2C | CARBIDES |
| 0398 DRDERING TERNARY ALLOYS FE- AL- 0398 I, CO, TA- AL-CO, NI- AL- TI, NI- AL- 0398 I, TA- W- NB, TA- AL- FE, TA- AL- NI, 0398 -CO, FE- SI- GE, FE- SI- V, W- FE, W- | CD, FE-AL-GE, FE-AL-V, FE-SI-CD, FE- SI- GE. FE- S 0398 CD, NI- AL- MD, AL- C- FE, COMMON-ION ALKALI HALID 0398 CD, TA- AL-CD, NI- AL- TI, NI- AL- CD, NI- AL- MD, 0398 CD, W- NI, MULTICOMPONENT TA BASED SYSTEM, TA- NI- 0398 |
| 0395MODEL FOR | COARSENING KINETICS OF M2C CARBIDES, |
| 0398 I, NI- AL- CO, NI- AL- MO, AL- C- FE, | COMMON-ION ALKALI HALIDE SYSTEMS, TA- RARE EARTH B 0398 |
| 0399 | CORRELATION OF THERMOCHEMICAL AND PHASE DIAGRAM DA 0399 |
| O388 CR- N, FE- N, MO- N, O388 V, TI- V, FE- V, U- PU- C- N- O, | CR- MO- N |
| 0391STABILITY | CRITERION FROM PHASE DIAGRAM, |
| 0400 | CROSSED ISODIMORPHISM, |
| 0398 STEM, TA- NI- MO, TA- NB- AL, TA- NB- 0398 - NI- MO, TA- NB- AL, TA- NB- CU, TA- | CU, TA- CU- NI, TA- W- NB, TA- AL- FE, TA- AL- NI, 0398 CU- NI, TA- W- NB, TA- AL- FE, TA- AL- NI, CO, TA- 0398 |
| 0392GAMMA- GAMMA PRIME EQUILIBRIUM BY | CVM FDR NI-BASE SUPERALLOYS, |
| 0398 N-ION ALKALI HALIDE SYSTEMS, TA- RARE | EARTH BINARY SYSTEMS, PSEUDOSTABLE PHASE, FE- CA 0398 |
| 0390 | ENTITY MODEL, |
| 0398 L- TI, NI- AL- CO, NI- AL- MO, AL- C- 0398 E- CU, TA- CU- NI, TA- W- NB, TA- AL- 0398 GE, FE- SI- V, W- 0398 ORDERING TERNARY ALLOYS 0398 H BINARY SYSTEMS, PSEUDOSTABLE PHASE, 0398, FE- V, U- PU- C- N- D, CR- NI- V, 0397 MN- V, 0388 CR- N, 0384 0388 CR- N, 0398 AL- CO, FE-AL-GE, FE-AL-V, FE-SI-CO, 0398 STEMS, PSEUDOSTABLE PHASE, FE- CA- D, | FE, COMMON-ION ALKALI HALIDE SYSTEMS, TA- RARE EAR 0398 FE, TA- AL- NI, CO, TA- AL-CO, NI- AL- TI, NI- AL- 0398 FE, W- CO, W- NI, MULTICOMPONENT TA BASED SYSTEM, 0398 FE- AL- CO, FE-AL-GE, FE-AL-V, FE-SI-CO, FE- SI- G 0398 FE- CA- O, FE- SI- O, ULTRACAL PROGRAMME, YBA2CU3D 0398 FE- HN- X SYSTEMS (X = NB, TI OR V), AL- GE- MN, VF 0398 FE- MN- V, 0397 FE- N, MO- N, CR- MO- N, 0388 FE- N- TI, 0384 FE- N- V, 0385 FE- SI- GE, FE- SI- V, W- FE, W- CO, W- NI, MULTIC 0398 FE- SI- O, ULTRACAL PROGRAMME, YBA2CU3OZ, MISCIBIL 0398 |

| 0405 0403 0398 0404 0398 0398 | AL-GE, FE-AL-V, FE-SI-CO, FE- SI- GE, | FE- SI- V, W- FE, W- CD, W- NI, MULTICOMPONENT TA. (FE- V | 0405 0403 0398 0404 0398 |
|--|---|--|--|
| | ALLOYS FE- AL- CO, FE-AL-GE, FE-AL-V, UNDS (TI, NB, V)C AND (TI, NB, V)N, | FE-SI-CO, FE- SI- GE, FE- SI- V, W- FE, W- CO, W (GA- AL- SB, IN- AL- SB, MO- V, NI- V, TI- V, FE- V (| |
| | | GAMMA PRIME EQUILIBRIUM BY CVM FOR NI-BASE SUPERAL GAMMA- GAMMA PRIME EQUILIBRIUM BY CVM FOR NI-BASE. | |
| | .FE-AL-GE, FE-AL-V, FE-SI-CO, FE- SI- - H- X SYSTEMS (X = NB, TI OR V), AL- | GE, FE- SI- V, W- FE, W- CO, W- NI, MULTICOMPONENT GE- MN, VF3, UN, PUN, VPUN, | 0398 0398 |
| 0398 | FE- V, U- PU- C- N- 0, CR- NI- V, FE- | H- X SYSTEMS (X = NB, TI OR V), AL- GE- MN, VF3, U | 0398 |
| 0398 | .AL- MO, AL- C- FE, COMMON-ION ALKALI | HALIDE SYSTEMS, TA- RARE EARTH BINARY SYSTEMS, PSE | 0398 |
| 0381 | | HULTGREN SOLUTION DATA, | 0381 |
| 0398 | E, YBA2CU3OZ, MISCIBILITY GAPS IN THE | II-VI ALLOY SEMI-CONDUCTOR SYSTEMS, QUATERNARY COM | 0398 |
| | ROGRAMME, YBA2CU3DZ, MISCIBILITY GAPS B, V)C AND (TI, NB, V)N, GA- AL- SB, | IN THE II-VI ALLOY SEMI-CONDUCTOR SYSTEMS, QUATERN IN- AL- SB, MO- V, NI- V, TI- V, FE- V, U- PU- C | |
| 0400 | CROSSED | ISODIMORPHISM, | 0400 |
| 0395 | MODEL FOR COARSENING | KINETICS OF M2C CARBIDES | 0395 |
| 0396 | ATMOSPHERIC AND HIGH PRESSURE | LIIO3- NAIO3 DIAGRAM, | 0396 |
| 0395 | MODEL FOR COARSENING KINETICS OF | M2C CARBIDES, | 0395 |
| | ZR02- | MGO- AL01.5, | |
| 0398 | SI- 0, ULTRACAL PROGRAMME, YBA2CU30Z, | MISCIBILITY GAPS IN THE II-VI ALLOY SEMI-CONDUCTOR | 0398 |
| 0397 | 3 .X SYSTEMS (X = NB, TI OR V), AL- GE- | MN, VF3, UN, PUN, VPUN, | 0397 |
| 0398 0388 | CR- NI- AL- TI, NI- AL- CO, NI- AL- LTICOMPONENT TA BASED SYSTEM, TA- NI- CR- N, FE- N, MO- N, CR- CR- N, FE- N, J.TI, NB, V)N, GA- AL- SB, IN- AL- SB, | MO, AL- C- FE, COMMON-ION ALKALI HALIDE SYSTEMS, T MO, TA- NB- AL, TA- NB- CU, TA- CU- NI, TA- W- NB, MO- N, CR- MO- N, CR- MO- N, TI- V, TI- V, FE- V, U- PU- C- N- O, CR- NI | 0398 0388 0388 |
| 0389 | TWO-SUBLATTICE CENTITY | MODEL FOR COARSENING KINETICS OF M2C CARBIDES, MODEL FOR LIQUIDS, | 0389 |
| 0381 0381 0381 0391 0391 | 2 | N, N, CR- MD- N, N, FE- N, MO- N, CR- MD- N, N, MD- N, CR- MO- N, N- O, CR- NI- V, FE- H- X SYSTEMS (X = NB, TI OR V N- TI, N- V, | 0388 0388 0388 0388 0398 0384 |
| 039 | ATMOSPHERIC AND HIGH PRESSURE LIIO3- | NAID3 DIAGRAM, | 0396 |
| 039 | B B- AL, TA- NB- CU, TA- CU- NI, TA- W- B - O, CR- NI- V, FE- H- X SYSTEMS (X = B R SYSTEMS, QUATERNARY COMPOUNDS (TI, B ARY COMPOUNDS (TI, NB, V)C AND (TI, B NENT TA BASED SYSTEM, TA- NI- MO, TA- B D SYSTEM, TA- NI- MD, TA- NB- AL, TA- | NB, TA- AL- FE, TA- AL- NI, CO, TA- AL-CO, NI- AL- NB, TI OR V), AL- GE- MN, VF3, UN, PUN, VPUN, NB, V)C AND (TI, NB, V)N, GA- AL- SB, IN- AL- SB, NB, V)N, GA- AL- SB, IN- AL- SB, MO- V, NI- V, TI- NB- AL, TA- NB- CU, TA- CU- NI, TA- W- NB, TA- AL- NB- CU, TA- CU- NI, TA- W- NB, TA- AL- FE, TA- AL- | 0398 |
| 039 | B U- NI, TA- W- NB, TA- AL- FE, TA- AL- 8 - SI- GE, FE- SI- V, W- FE, W- CD, W- 8 - MO, TA- NB- AL, TA- NB- CU, TA- CU- 8 A- AL- NI, CO, TA- AL-CO, NI- AL- TI, | NI, CD, TA- AL-CD, NI- AL- TI, NI- AL- CD, NI- AL- NI, MULTICOMPONENT TA BASED SYSTEM, TA- NI- MD, TA NI, TA- W- NB, TA- AL- FE, TA- AL- NI, CD, TA- AL- NI- AL- CD, NI- AL- MD, AL- C- FE, COMMON-ION ALKA | 0398 |

| 0398 O, TA- AL-CO, NI- AL- TI, NI- AL- CO, 0398 A- AL- FE, TA- AL- NI, CO, TA- AL-CO, 0398 , MULTICOMPONENT TA BASED SYSTEM, TA- 0398 ,V, TI- V, FE- V, U- PU- C- N- O, CR- 0398 ,V)N, GA- AL- SB, IN- AL- SB, MD- V, 0392 A- GAMMA PRIME EQUILIBRIUM BY CVM FOR | NI- AL- MO, AL- C- FE, COMMON-ION ALKALI HALIDE SY 0398 NI- AL- TI, NI- AL- CO, NI- AL- MO, AL- C- FE, COM 0398 NI- MO, TA- NB- AL, TA- NB- CU, TA- CU- NI, TA- W- 0398 NI- V, FE- H- X SYSTEMS (X = NB, TI OR V), AL- GE- 0398 NI- V, TI- V, FE- V, U- PU- C- N- O, CR- NI- V, FE 0398 NI-BASE SUPERALLOYS, |
|--|--|
| O398 .V, NI- V, TI- V, FE- V, U- PU- C- N- O398 .SYSTEMS, PSEUDOSTABLE PHASE, FE- CA- O398 SEUDOSTABLE PHASE, FE- CA- O, FE- SI- | D. CR- NI- V. FE- H- X SYSTEMS (X = NB, TI OR V). 0398 D. FE- SI- D. ULTRACAL PROGRAMME, YBA2CU3DZ, MISCI 0398 D. ULTRACAL PROGRAMME, YBA2CU3DZ, MISCIBILITY GAPS 0398 |
| 0398 - NI- V, FE- H- X SYSTEMS (X = NB, TI | OR V), AL- GE- MN, VF3, UN, PUN, VPUN, 0398 |
| 0398 | ORDERING TERNARY ALLOYS FE- AL- CO, FE-AL-GE, FE-A 0398 |
| 0381 | PARAMETERIZATION FOR HULTGREN SOLUTION DATA, 0381 |
| 0396 ATMOSPHERIC AND HIGH | PRESSURE LIIO3- NAIO3 DIAGRAM, |
| 0392 | PRIME EQUILIBRIUM BY CVM FOR NI-BASE SUPERALLOYS,. 0392 |
| 0398 PHASE, FE- CA- O, FE- SI- O, ULTRACAL | PROGRAMME, YBA2CU3DZ, MISCIBILITY GAPS IN THE II-V 0398 |
| 0398 STEMS, TA- RARE EARTH BINARY SYSTEMS, | PSEUDOSTABLE PHASE, FE- CA- O, FE- SI- O, ULTRACAL 0398 |
| 0398 L- SB, MO- V, NI- V, TI- V, FE- V, U- | PU- C- N- O, CR- NI- V, FE- H- X SYSTEMS (X = NB, . 0398 |
| 0398 .= NB, TI OR V), AL- GE- MN, VF3, UN, | PUN, VPUN, |
| 0406SGTE DATA FOR | PURE ELEMENTS |
| 0398 E II-VI ALLOY SEMI-CONDUCTOR SYSTEMS, | QUATERNARY COMPOUNDS (TI, NB, V)C AND (TI, NB, V 0398 |
| 0385 | RANKINITE, CAO- SIO2, |
| 0398 COMMON-ION ALKALI HALIDE SYSTEMS, TA- | RARE EARTH BINARY SYSTEMS, PSEUDOSTABLE PHASE, FE- 0398 |
| 0398 I, NB, V)C AND (TI, NB, V)N, GA- AL- 0398 ND (TI, NB, V)N, GA- AL- SB, IN- AL- | SB, IN- AL- SB, MO- V, NI- V, TI- V, FE- V, U- PU- 0398 SB, MO- V, NI- V, TI- V, FE- V, U- PU- C- N- 0, CR 0398 |
| 0398 , MISCIBILITY GAPS IN THE II-VI ALLOY | SEMI-CONDUCTOR SYSTEMS, QUATERNARY COMPOUNDS (TI, 0398 |
| 0387 | SEQUENTIAL BAYES ALGORITHM, |
| 0406 | SGTE DATA FOR PURE ELEMENTS |
| O398 .CO, FE-AL-GE, FE-AL-V, FE-SI-CO, FE- O398 S, PSEUDOSTABLE PHASE, FE- CA- O, FE- O398 E, FE-AL-V, FE-SI-CO, FE- SI- GE, FE- | SI- GE, FE- SI- V, W- FE, W- CO, W- NI, MULTICOMPO 0398 SI- O, ULTRACAL PROGRAMME, YBA2CU3DZ, MISCIBILITY. 0398 SI- V, W- FE, W- CO, W- NI, MULTICOMPONENT TA BASE 0398 |
| 0385RANKINITE, CAO- | \$102, |
| 0392 .PRIME EQUILIBRIUM BY CVM FOR NI-BASE | SUPERALLOYS, 0392 |
| 0401 0402 | TA BASED BINARY ALLOYS |
| O398 .CR- NI- V, FE- H- X SYSTEMS (X = NB, O384 FE- N- O398 UCTOR SYSTEMS, QUATERNARY COMPOUNDS (O398 TERNARY COMPOUNDS (TI, NB, V)C AND (O398 E, TA- AL- NI, CO, TA- AL-CO, NI- AL- O394 | TI OR V), AL- GE- MN, VF3, UN, PUN, VPUN, |
| 0398 GA- AL- SB, IN- AL- SB, MO- V, NI- V, | TI- V, FE- V, U- PU- C- N- D, CR- NI- V, FE- H- X. 0398 |
| 0389 | TWO-SUBLATTICE MODEL FOR LIQUIDS, |

C. BERNARD

| 0398 | - AL- SB, MO- V, NI- V, TI- V, FE- V, | U- PU- C- N- D, CR- NI- V, FE- H- X SYSTEMS (X = N | 0398 |
|--|--|---|--|
| 0398 | DOSTABLE PHASE, FE- CA- 0, FE- SI- 0, | ULTRACAL PROGRAMME, YBA2CU3OZ, MISCIBILITY GAPS IN | 0398 |
| 0398 | S (X = NB, TI OR V), AL- GE- MN, VF3, | UN, PUN, VPUN, | 0398 |
| 0394 0398 0398 0398 0397 0403 0398 0398 0398 0398 0398 0404 0403 | TI - AL- I- V, FE- H- X SYSTEMS (X = NB, TI OR STEMS, QUATERNARY COMPOUNDS (TI, NB, COMPOUNDS (TI, NB, V)C AND (TI, NB, | V. BETA PHASE. V), AL- GE- MN, VF3, UN, PUN, VPUN, | 0394 0398 0398 0398 0397 0403 0398 0398 0398 0398 0398 0404 0403 |
| 0398 | YSTEMS (X = NB, TI OR V), AL- GE- MN, | VF3, UN, PUN, VPUN, | 0398 |
| 0398 | , TI OR V), AL- GE- MN, VF3, UN, PUN, | VPUN, | 0398 |
| 0398 | -SI-CO, FE- SI- GE, FE- SI- V, W- FE, L-V, FE-SI-CO, FE- SI- GE, FE- SI- V, SI- VB- SI- VB- SI- VB- CU- NI, TA- I-FE- SI- GE, FE- SI- V, W- FE, W- CO, SI- VB- SI- VB- SI- VB- CO, SI- VB- SI- VB- SI- VB- CO, SI- VB- SI- | W- CO, W- NI, MULTICOMPONENT TA BASED SYSTEM, TA W- FE, W- CD, W- NI, MULTICOMPONENT TA BASED SYSTE W- NB, TA- AL- FE, TA- AL- NI, CO, TA- AL-CO, NI W- NI, MULTICOMPONENT TA BASED SYSTEM, TA- NI- MO, | 0398 |
| 0398 | S C- N- O, CR- NI- V, FE- H- X SYSTEMS (S .V, U- PU- C- N- O, CR- NI- V, FE- H- | X = NB, TI OR V), AL- GE- MN, VF3, UN, PUN, VPUN,. X SYSTEMS (X = NB, TI OR V), AL- GE- MN, VF3, UN,. | |
| 0398 | CA- D, FE- SI- D, ULTRACAL PROGRAMME, | YBA2CU30Z, MISCIBILITY GAPS IN THE II-VI ALLOY SEM | 0398 |
| 0386 | | ZR02- MGO, | 0386 |

